



## SAFETY DATA SHEET

Revision Date 21-May-2015

WAI1 - AGHS - OSHA

Revision Number 1

|  |
|--|
| <b>1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING</b> |
|--|

Product Identifier

|   |   |
|---|---|
| <b>Product Name</b>   | 1413 uS/cm Conductivity Solution<br>uS/cm Conductivity Solution<br>uS/cm Conductivity Solution<br>uS/cm Conductivity Solution<br>uS/cm Conductivity Solution<br>uS/cm Conductivity Solution<br>uS/cm Conductivity Solution<br>uS/cm Conductivity Solution<br>uS/cm Conductivity Solution<br>uS/cm Conductivity Solution<br>uS/cm Conductivity Solution<br>PPT as NaCl Pouch, 5650 uS/cm |
| <b>Product Number(s)</b>  | 00606-10, 35653-11, 00653-12, 00653-15, 00653-16, 00653-18, 00653-20, 35653-12,<br>00653-23, 00653-27, 00653-47, 35653-10, 00653-50, 35653-13, 35653-13, 35653-15   |
| <b>Pure substance/mixture</b>   | Mixture   |
| <b><u>Relevant identified uses of the substance or mixture and uses advised against</u></b> |   |
| <b>Recommended Use</b>  | Use as laboratory reagent   |
| <b>Uses advised against</b>   | No Information available  |
| <b><u>Manufacturer/Supplier</u></b>   | Cole-Parmer™<br>North America<br>625 East Bunker Court<br>Vernon Hills, IL<br>60061 USA<br>Tel: 1-800-323-4340  |
| <b>E-mail address</b>   | <a href="mailto:info@coleparmer.com">info@coleparmer.com</a>  |
| <b>Made in</b>  | USA   |
| <b><u>Emergency Telephone</u></b>   | 888-358-4717<br>8:00 am - 6:00 pm CST   |

Product Number(s) 00606-10, 35653-11, 00653-12, 00653-15,

Document No. 264886-001

EN

Page 1 / 9

**Product Name** 1413 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 PPT as NaCl Pouch, 5650 uS/cm

**Revision Date** 21-May-2015

## 2. HAZARDS IDENTIFICATION

### Classification

#### **OSHA Regulatory Status**

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS)

### Label Elements

#### **Emergency Overview**

The product contains no substances which at their given concentration, are considered to be hazardous to health

**Appearance** Clear

**Physical State** Liquid

**Odor** None

Safety data sheet available on request

### Precautionary Statements

Do not handle until all safety information has been read and understood.

### Hazards not otherwise classified (HNOC)

No information available

### Other Information

No information available

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

| Component          | CAS-No    | Weight %  | Trade Secret |
|--------------------|-----------|-----------|--------------|
| Water              | 7732-18-5 | 90 - 100% | *            |
| Potassium Chloride | 7447-40-7 | 0 - 10%   | *            |

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

## 4. FIRST AID MEASURES

### First aid measures

**Product Number(s)** 00606-10, 35653-11, 00653-12, 00653-15,

**Document No.** 264886-001

**EN**

Page 2 / 9

**Product Name** 1413 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 PPT as NaCl Pouch, 5650 uS/cm

**Revision Date** 21-May-2015

|                                   |   |
|-----------------------------------|---|
| <b>General Advice</b>             | Use first aid treatment according to the nature of the injury. Get medical attention immediately if symptoms occur. Show this safety data sheet to the doctor in attendance.  |
| <b>Eye Contact</b>                | Rinse thoroughly with plenty of water, also under the eyelids. Obtain medical attention.  |
| <b>Skin Contact</b>               | Wash off immediately with soap and plenty of water for at least 15 minutes while removing all contaminated clothing and shoes. If skin reactions occur, contact a physician.  |
| <b>Inhalation</b>                 | Move to fresh air. If breathing is difficult, give oxygen. If symptoms persist, obtain medical attention.   |
| <b>Ingestion</b>                  | Clean mouth with water and drink afterwards plenty of water. Do not induce vomiting. Call a physician or Poison Control Center immediately.   |
| <b>Protection of First-aiders</b> | Use personal protective equipment. See Section 8 for more detail. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. |

**Most important symptoms and effects, both acute and delayed**

**Most important symptoms/effects** No information available

**Indication of any immediate medical attention and special treatment needed**

**Notes to Physician** Treat symptomatically

## 5. FIRE-FIGHTING MEASURES

**Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable Extinguishing Media**

No information available

**Specific Hazards Arising from the Chemical**

No information available

**Explosion Data**

**Sensitivity to Mechanical Impact** None

**Sensitivity to Static Discharge** None

**Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal Precautions, Protective Equipment and Emergency Procedures**

**Product Number(s)** 00606-10, 35653-11, 00653-12, 00653-15,

**Document No.** 264886-001

EN

Page 3 / 9

**Product Name** 1413 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 PPT as NaCl Pouch, 5650 uS/cm

**Revision Date** 21-May-2015

**Personal Precautions** Use personal protective equipment. Refer to Section 8. Evacuate personnel to safe areas.  
**Environmental Precautions** Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

#### **Methods and Material for Containment and Cleaning Up**

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

**Methods for Cleaning Up** Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

### **7. HANDLING AND STORAGE**

#### **Precautions for Safe Handling**

**Handling** To avoid risks to human health and the environment, comply with the instructions for use  
 Wear personal protective equipment  
 Avoid breathing dust/fume/gas/mist/vapours/spray  
 Ensure adequate ventilation, especially in confined areas

#### **Conditions for Safe Storage, Including any Incompatibilities**

**Storage** Keep container tightly closed in a dry and well-ventilated place  
 Store at room temperature in the original container  
 Keep away from direct sunlight

**Incompatible Products** No information available

### **8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### **Control parameters**

**Exposure Guidelines** This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

#### **Appropriate engineering controls**

**Engineering Measures** Showers  
 Eyewash stations  
 Ventilation systems

#### **Individual protection measures, such as personal protective equipment**

**Eye/face Protection** Wear chemical splash goggles. If splashes are likely to occur, wear.. Face-shield.

**Skin and Body Protection** Wear protective gloves/clothing.

**Respiratory Protection** None required under normal usage. In case of inadequate ventilation wear respiratory protection.

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

**Product Number(s)** 00606-10, 35653-11, 00653-12, 00653-15,

**Document No.** 264886-001

**EN**

**Page 4 / 9**

**Product Name** 1413 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 PPT as NaCl Pouch, 5650 uS/cm

**Revision Date** 21-May-2015

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**Information on basic physical and chemical properties**

**Physical State** Liquid  
**Appearance** Clear  
**Odor** None  
**Odor Threshold** No information available  
**pH Range** 4.75 - 7.75

| <u>Property</u>                     | <u>Values</u>            | <u>Remarks • Method</u> |
|-------------------------------------|--------------------------|-------------------------|
| <b>Melting point/freezing point</b> | No information available |                         |
| <b>Boiling Point/Range</b>          | ~ 100 °C / 212 °F        |                         |
| <b>Flash Point (High in °C)</b>     | N/A                      |                         |
| <b>Evaporation Rate</b>             | No information available |                         |
| <b>Flammability (solid, gas)</b>    | No information available |                         |
| <b>Flammability Limit in Air</b>    |                          |                         |
| <b>Upper flammability limit:</b>    | No information available |                         |
| <b>Lower flammability limit:</b>    | No information available |                         |
| <b>Vapor pressure</b>               | No information available |                         |
| <b>Vapor Density</b>                | No information available |                         |
| <b>Specific Gravity</b>             | No information available |                         |
| <b>Water Solubility</b>             | soluble                  |                         |
| <b>Solubility in other solvents</b> | No information available |                         |
| <b>Partition coefficient</b>        | No information available |                         |
| <b>Autoignition Temperature</b>     |                          |                         |
| <b>Decomposition Temperature</b>    | No information available |                         |
| <b>Kinematic Viscosity</b>          | No information available |                         |
| <b>Dynamic viscosity</b>            | No information available |                         |
| <b>Explosive Properties</b>         | No information available |                         |
| <b>Oxidizing Properties</b>         | No information available |                         |

**Other Information**

**Softening Point** No information available  
**Molecular Weight** No information available  
**VOC Content(%)** No information available  
**Density** No Information available  
**Bulk Density** No information available

**10. STABILITY AND REACTIVITY**

**Reactivity**  
 No Information available

**Chemical Stability**  
 Stable under normal conditions

**Possibility of Hazardous Reactions**  
 None under normal processing

**Product Name** 1413 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 PPT as NaCl Pouch, 5650 uS/cm

**Revision Date** 21-May-2015

#### **Conditions to Avoid**

Extremes of temperature and direct sunlight

#### **Incompatible Materials**

No information available

#### **Hazardous Decomposition Products**

Thermal decomposition can lead to release of irritating gases and vapors

## 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

|                     |                          |
|---------------------|--------------------------|
| <b>Inhalation</b>   | No information available |
| <b>Eye Contact</b>  | No information available |
| <b>Skin Contact</b> | No information available |
| <b>Ingestion</b>    | No information available |

| Component                       | LD50 Oral            | LD50 Dermal | LC50 Inhalation |
|---------------------------------|----------------------|-------------|-----------------|
| Water<br>7732-18-5              | > 90 mL/kg ( Rat )   | -           | -               |
| Potassium Chloride<br>7447-40-7 | = 2600 mg/kg ( Rat ) | -           | -               |

#### Information on Toxicological Effects

**Symptoms** No information available

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

|                                 |                           |
|---------------------------------|---------------------------|
| <b>Sensitization</b>            | No information available  |
| <b>Mutagenic Effects</b>        | No information available  |
| <b>Carcinogenicity</b>          | No information available. |
| <b>Reproductive Effects</b>     | No information available  |
| <b>STOT - single exposure</b>   | No information available  |
| <b>STOT - repeated exposure</b> | No information available  |
| <b>Aspiration hazard</b>        | No information available  |

#### Numerical measures of toxicity - Product Information

**Product Number(s)** 00606-10, 35653-11, 00653-12, 00653-15,

**Document No.** 264886-001

EN

Page 6 / 9

**Product Name** 1413 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 PPT as NaCl Pouch, 5650 uS/cm

**Revision Date** 21-May-2015

**12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

| Component                       | Freshwater Algae                                | Freshwater Fish  | Water Flea  |
|---------------------------------|---|--|---|
| Potassium Chloride<br>7447-40-7 | 2500: 72 h Desmodesmus<br>subspicatus mg/L EC50 | 750 - 1020: 96 h Pimephales<br>promelas mg/L LC50 static 1060: 96<br>h Lepomis macrochirus mg/L LC50<br>static | 83: 48 h Daphnia magna mg/L<br>EC50 Static 825: 48 h Daphnia<br>magna mg/L EC50 |

**Persistence and Degradability**

No information available

**Bioaccumulation/ Accumulation**

No information available

**Mobility**

No information available.

**Other adverse effects**

No information available

**13. DISPOSAL CONSIDERATIONS**

**Waste treatment methods**

**Waste Disposal Methods**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated Packaging**

Improper disposal or reuse of this container may be dangerous and illegal.

**14. TRANSPORT INFORMATION**

|                 |               |
|-----------------|---------------|
| <b>DOT</b>      | Not regulated |
| <b>TDG</b>      | Not regulated |
| <b>MEX</b>      | Not regulated |
| <b>ICAO</b>     | Not regulated |
| <b>IATA</b>     | Not regulated |
| <b>IMDG/IMO</b> | Not regulated |
| <b>RID</b>      | Not regulated |

**Product Number(s)** 00606-10, 35653-11, 00653-12, 00653-15,

**Document No.** 264886-001

**EN**

**Product Name** 1413 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 PPT as NaCl Pouch, 5650 uS/cm

**Revision Date** 21-May-2015

**ADR** Not regulated

**ADN** Not regulated

## 15. REGULATORY INFORMATION

### International Inventories

|                      |                 |
|----------------------|-----------------|
| <b>USINV</b>         | Complies        |
| <b>CANINV</b>        | Complies        |
| <b>EINECS/ELINCS</b> | Complies        |
| <b>ENCS</b>          | Does not Comply |
| <b>IECSC</b>         | Complies        |
| <b>KECL</b>          | Complies        |
| <b>PICCS</b>         | Complies        |
| <b>AICS</b>          | Complies        |

**USINV/ TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**CANINV/ DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

### U.S. Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and and Title 40n of the Code of Federal Regulations, Part 372.

#### **SARA 311/312 Hazardous**

##### Categorization

|  |    |
|--|----|
| <b>Acute Health Hazard</b>               | No |
| <b>Chronic Health Hazard</b>             | No |
| <b>Fire Hazard</b>                       | No |
| <b>Sudden Release of Pressure Hazard</b> | No |
| <b>Reactive Hazard</b>                   | No |

#### **Clean Water Act**

Not applicable

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

**Product Number(s)** 00606-10, 35653-11, 00653-12, 00653-15,

**Document No.** 264886-001

**EN**

Page 8 / 9



**Product Name** 1413 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 uS/cm Conductivity Solution  
 PPT as NaCl Pouch, 5650 uS/cm

**Revision Date** 21-May-2015

**U.S. State Regulations**

**California Proposition 65**

This product does not contain any Proposition 65 chemicals

**State Right-to-Know**

| Component          | New Jersey | Massachusetts | Pennsylvania |
|--------------------|------------|---------------|--------------|
| Water<br>7732-18-5 | -          | -             | X            |

**U.S. EPA Label Information**

No information available

**16. OTHER INFORMATION**

**Prepared By** Thermo Fisher Scientific©  
 Water and Lab Products  
 22 Alpha Road  
 Chelmsford, MA 01824, USA  
 1-978-232-6000

**Prepared For** Cole-Parmer™

**Issue Date** No information available

**Revision Date** 21-May-2015

**Expiration Date** SDS is valid 3 years from the revision date. Contact info@coleparmer.com for the latest revision.

**Reason for revision** Update to CLP Format

**Disclaimer**

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of Safety Data Sheet**